U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1–9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION FO					R INSURANCE COMPANY USE		
A1. Building Owner's Name Todd Piper					cy Number:		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 103 Rogue Cove Drive					npany NAIC Number:		
City Carolina Beach	=	State NC	ZIP Code 28428				
A3. Property Description (Lot an Lot 17, MB 35 Pg 356, Parcel # F		el Number, Legal Descri	ption, etc.)				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. 34.040057 Long. 77.892695 Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 6 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade n/a within 1.0 foot above adjacent grade n/a sq in c) Total net area of flood openings? Yes No SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION							
B1. NFIP Community Name & Co Town of Carolina Beach 375347	ommunity Number	B2. County Name New Hanover		B3.	State		
B4. Map/Panel Number 3720313000	5. Suffix B6. FIRM Inde J 02/16/200		evised Date	8. Flood I Zone(s) VE	39. Base Flood Elevation(s) (Zone AO, use base flood depth) 14.0		
310. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. ☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source: 311. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other/Source: 312. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date:							
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)							
C1. Building elevations are based on: C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: CAMA Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in items a) through h) below. Datum used for building elevations must be the same as that used for the BFE.							
*A new Elevation Certificate w C2. Elevations – Zones A1–A30, below according to the buildir Benchmark Utilized: <u>CAMA</u> Indicate elevation datum used	vill be required when constru AE, AH, A (with BFE), VE, V ng diagram specified in Item d for the elevations in items a	ction of the building is c 1–V30, V (with BFE), Af A7. In Puerto Rico only, Vertical Datum: N i) through h) below.	omplete. R, AR/A, AR/AE, AR/A enter meters. IAVD 1988	.1–A30, AR/AH, /	AR/AO. Complete Items C2.a-h		
*A new Elevation Certificate w C2. Elevations – Zones A1–A30, below according to the buildin Benchmark Utilized: <u>CAMA</u> Indicate elevation datum used Datum used for building elevation	vill be required when constru AE, AH, A (with BFE), VE, V ng diagram specified in Item d for the elevations in items a ations must be the same as t	ction of the building is control of the building	omplete. R, AR/A, AR/AE, AR/A enter meters. I <u>AVD 1988</u> NGVD 1929 ⊠ NAVD	1–A30, AR/AH, A 1988	AR/AO. Complete Items C2.a-h Source: measurement used.		
*A new Elevation Certificate w C2. Elevations – Zones A1–A30, below according to the building Benchmark Utilized: CAMA Indicate elevation datum used Datum used for building elevation of the lowest horizod) Attached garage (top of slate) Lowest elevation of maching in the case of the control of the lowest elevation of maching in the case of	will be required when constructed AE, AH, A (with BFE), VE, Very and diagram specified in Item of the elevations in items are actions must be the same as the graph of the same as the contact structural member (V Zenth)	ction of the building is of 1–V30, V (with BFE), Af A7. In Puerto Rico only, Vertical Datum: Nathern than the building is of 1–V30, Vertical Datum: Nathern than the building the building is of the building is of the building is of 1–V30, and 1–V30, a	omplete. R, AR/A, AR/AE, AR/A enter meters. IAVD 1988	1–A30, AR/AH, A 1988	AR/AO. Complete Items C2.a-h Source: measurement used. eet		
*A new Elevation Certificate w C2. Elevations – Zones A1–A30, below according to the building Benchmark Utilized: CAMA Indicate elevation datum used Datum used for building elevation of the lowest horizod) Attached garage (top of slate) Lowest elevation of maching in the case of the control of the lowest elevation of maching in the case of	will be required when constructed. AE, AH, A (with BFE), VE, Very diagram specified in Item of the elevations in items attions must be the same as the	ction of the building is of 1–V30, V (with BFE), Af A7. In Puerto Rico only, Vertical Datum: Note that used for the BFE. The enclosure floor) The building of the building o	omplete. R, AR/A, AR/AE, AR/A enter meters. IAVD 1988 NGVD 1929 NAVD NA NA NA NA NA NA NA NA NA 6.0 6.4	1–A30, AR/AH, A 1988	AR/AO. Complete Items C2.a-h Source: measurement used. eet		
*A new Elevation Certificate w C2. Elevations – Zones A1–A30, below according to the buildin Benchmark Utilized: CAMA Indicate elevation datum used Datum used for building elevation of the next higher floor c) Bottom of the lowest horized Attached garage (top of slate) Lowest elevation of machin (Describe type of equipment b) Highest adjacent (finished)	will be required when constructed. AE, AH, A (with BFE), VE, Very diagram specified in Item of the elevations in items attions must be the same as the	ction of the building is of 1–V30, V (with BFE), Al A7. In Puerto Rico only, Vertical Datum: Note that used for the BFE. The enclosure floor) The building control ones only ones ones ones ones ones ones ones ones	omplete. R, AR/A, AR/AE, AR/A enter meters. IAVD 1988 NGVD 1929 NAVD N.A N.A N.A N.A N.A N.A N.A N.A N.	1–A30, AR/AH, A 1988	AR/AO. Complete Items C2.a-h Source: measurement used. eet		
*A new Elevation Certificate w C2. Elevations – Zones A1–A30, below according to the buildin Benchmark Utilized: CAMA Indicate elevation datum used Datum used for building elevation of the next higher floor c) Bottom of the lowest horized Attached garage (top of slate) Lowest elevation of machin (Describe type of equipment b) Highest adjacent (finished)	will be required when constructed. AE, AH, A (with BFE), VE, Very diagram specified in Item and diagram specified in Item and the same as the same and search and location in Comments and location in Comments grade next to building (LAG) grade next to building (LAG) and sealed by a land surveyor same same and sealed by a land surveyor same same and sealed by a land surveyor same same same and same same same same same same same same	ction of the building is of 1–V30, V (with BFE), Af A7. In Puerto Rico only, Vertical Datum: Note that used for the BFE. If enclosure floor) In the building structural enclosure, including structural enclosure floor. If the building structural enclosure floor, engineer, or architectoresents my best efforts fine or imprisonment und Were latitude and lo licensed land survey Lice enclosure floor, PA	omplete. R, AR/A, AR/AE, AR/A enter meters. IAVD 1988 NGVD 1929 NAVD N.A N.A N.A N.A N.A N.A N.A N.A Support Supp	Check the Check the fo fo fo fo STIFICATION Certify elevation vailable. tion 1001. provided by a No	AR/AO. Complete Items C2.a-h Source: measurement used. eet		

LLLVATION VLIVIII IVAIL,			100 A		
IMPORTANT: In these spaces,					E COMPANY USE
Building Street Address (including A 103 Rogue Cove Drive	pt., Unit, Suite, and/or Bldg. No.)			Policy Number:	
City Carolina Beach		State NC	ZIP Code 28428	Company NAIC I	Number:
SECTIO	N D – SURVEYOR, ENGINE	ER, OR ARCHI	TECT CERTIFICATIO	N (CONTINUED)	
Copy both sides of this Elevation Ce					
Comments Building is currently unc	ler construction. Lowest horizont	tal structural memb	pers of 1 st floor are propo	sed at elevation 14.0'.	
Bir 7. Z.	H	Date	03/27/2015		
Signature		Date	03/21/2013		
SECTION E - BUILDING EL	EVATION INFORMATION (S	SURVEY NOT R	EQUIRED) FOR ZON	E AO AND ZONE A	(WITHOUT BFE)
 b) Top of bottom floor (including E2. For Building Diagrams 6–9 wit (elevation C2.b in the diagram E3. Attached garage (top of slab) i E4. Top of platform of machinery a E5. Zone AO only: If no flood dept 	Il grade, if available. Check the more the following and check the appliacent grade (LAG). In grade (LAG).	osure) is osure) is osure) is ided in Section A I feet me meters above	In Puerto Rico only, ento show whether the elevarence is shown in Puerto	er meters. tion is above or below the sters above or below the sters above or below the sters above or below the HAG. above or below	he highest adjacent low the HAG. elow the LAG. the next higher floor the HAG.
Section 2	· · · · · · · · · · · · · · · · · · ·		AND THE STREET, STREET	CERTIFICATION	
to be price traded.	N F - PROPERTY OWNER (manusity issued DEE)
The property owner or owner's author or Zone AO must sign here. The stat	erized representative who comple ements in Sections A, B, and E a	etes Sections A, B, are correct to the b	est of my knowledge.	ut a FEIVIA-ISSUED of Co	mmunity-issued BFE)
Property Owner's or Owner's Author			g to the track of	`# ,	- Car
Address		City		State ZIP Coo	le .
Signature		Date		Telephone	e ente
Comments		a a Bee			
				CI	neck here if attachments
	SECTION G - COMI	MUNITY INFORI	MATION (OPTIONAL		i juga ka ja s
is authorized by law to certif G2. A community official comple G3. The following information (It	www.or.ordinance to administer the che applicable item(s) and sign below was taken from other document y elevation information. (Indicate ted Section E for a building locate ems G4–G10) is provided for cor	ow. Check the mea tation that has bee the source and de ed in Zone A (with	n signed and sealed by a n signed and sealed by a ate of the elevation data out a FEMA-issued or co management purposes.	G8–G10. In Puerto Rico a licensed surveyor, eng in the Comments area l	only, enter meters. gineer, or architect who pelow.) or Zone AO.
G4. Permit Number	Go. Date Permit Issued		Go. Date Certificate (or compliance/occupat	loy looudu
G7. This permit has been issued for: G8. Elevation of as-built lowest floor G9. BFE or (in Zone AO) depth of flo G10. Community's design flood elevat	oding at the building site:	☐ Substantial Iming:	provement feet meter feet meter feet meter	s Datum	
Local Official's Name		Titl	e		
Community Name		Te	lephone		
Signature		Da	te		
Comments		*	*	По	neck here if attachment
					neck here if attachment

FEMA Form 086-0-33 (7/12)

Replaces all previous editions.

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bld 103 Rogue Cove Drive	Policy Number:		
City Carolina Beach	State NC	ZIP Code 28428	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



ont view 03/27/2015