Lynn Barbee *Mayor*

Joe Benson Council Member

Jay Healy Council Member



Deb LeCompte Mayor Pro Tem

Mike Hoffer Council Member

Bruce Oakley Town Manager

Town of Carolina Beach

1121 N. Lake Park Blvd. Carolina Beach, NC 28428 Tel: (910) 458-2999 Fax: (910) 458-2997

WEEKLY UPDATES SEPTEMBER 16, 2024 - SEPTEMBER 20, 2024

PUBLIC MEETINGS:

Tuesday, 9/24	9:00AM	Town Council Workshop

POLICE DEPARTMENT:

Patrol/Investigations:

- There were multiple Breaking & Entering/Theft from Motor Vehicle in the areas of Cape Fear Blvd, Virginia Avenue, Canal Drive, Georgia Avenue, Maryland Avenue, and Florida Avenue. The attempted and completed thefts were perpetrated by two juveniles. The cases are under further investigation.
- Kure Beach Heating & Air, Inc. reported on September 11th they were the victim of Counterfeiting/Forgery in the 1000 block of Bennet Lane, CB. The case is under further investigation.
- A 31-year-old female reported on September 15th she was the victim of Simple Assault in the 100 block of North Lake Park Blvd, CB. The case is closed by arrest.
- A 51-year-old female reported on September 15th she was the victim of Simple Assault in the 100 block of North Lake Park Blvd, CB. The case is closed by arrest.

Arrests:

- A 54-year-old male was arrested on September 10th in the 1500 block of Bridge Barrier Road, CB for Warrant for Arrest – Felony.
- A 58-year-old female was arrested on September 10th in the 1500 block of Bridge Barrier Road, CB for Warrant for Arrest – Felony.
- A 58-year-old male was arrested on September 11th in the 100 block of Cape Fear Blvd, CB for Possession of Marijuana – Misdemeanor.
- A 29-year-old male was arrested on September 14th in the 700 block of Canal Drive, CB for Driving While Impaired – Misdemeanor.
- A 47-year-old male was arrested on September 14th in the 600 block of North Lake Park Blvd, CB for Fail to Work After Paid – Misdemeanor.
- A 42-year-old female was arrested on September 14th in the 700 block of North Lake Park Blvd, CB for Fail to Work After Paid – Misdemeanor.
- A 27-year-old female was arrested on September 15th in the 100 block of North Lake Park Blvd, CB for Aggravated Assault – Felony & Simple Assault – Misdemeanor.

FIRE DEPARTMENT

Fire/Rescue Administration Division

- Staff assisted in the Emergency Operations Center (EOC) during the tropical storm
- Staff completed damage assessments post tropical storm
- Staff attended a monthly Safe Kids New Hanover Coalition meeting
- Staff attended a conference call for the NC Fire Marshal training committee
- Staff attended the Inspector Open Mic meeting for code enforcement
- Staff prepared for the 2nd annual Pool Party fundraiser benefitting the fire and ocean rescue associations
- Staff attended a meeting for LIV reporting software
- Staff attended a meeting for a permit review for Proximity

Fire/Rescue Operations Division

- Firefighters completed their daily and weekly apparatus checks as well as station duties
- Firefighters worked with neighboring agencies to respond to events caused by the tropical storm
- Firefighters completed a flow test and walk through for a commercial property
- Firefighters completed training on Engine inventory
- Firefighters completed RIT training as well as general Rookie training

Fire/Rescue fire Prevention Division

- 2-inspections
- 6-site visits
- 2-plan reviews

Ocean Rescue Division

- Staffing is limited until the start of the next season
- Staff attended a Coast Guard meeting
- Staff prepared for the 2nd annual Pool Party fundraiser benefitting the fire and ocean rescue associations
- Staff assisted in the EOC during the storm and with damage assessments following the storm

Response: 52 incidents

Incident Number	Alarm Date	Alarm Time	Location	Incident Type Code	Incident Type	NFIRS Number
2409130001	9/13/2024 11:20:06 AM	11:20 AM	703 OCEAN BLVD	324	Motor vehicle accident with no injuries.	0000491
2409130002	9/13/2024 2:57:25 PM	2:57 PM	1311 BOWFIN LN	311	Medical assist, assist EMS crew	0000492
2409130003	9/13/2024 5:27:18 PM	5:27 PM	99 OCEAN BLVD	444	Power line down	0000493
2409130004	9/13/2024 5:35:39 PM	5:35 PM	402 N FOURTH ST	311	Medical assist, assist EMS crew	0000494
2409130005	9/13/2024 6:24:25 PM	6:24 PM	1399 S LAKE PARK BLVD	444	Power line down	0000495
2409130006	9/13/2024 7:21:33 PM	7:21 PM	1080 SAINT JOSEPH ST	311	Medical assist, assist EMS crew	0000496
2409130007	9/13/2024 8:58:00 PM	8:58 PM	1404 S LAKE PARK BLVD	444	Power line down	0000497
240913-191236-CBFIRE	9/14/2024 12:48:55 AM	12:48 AM	3 Cape Fear BLVD	311	Medical assist, assist EMS crew	0000498
2409140002	9/14/2024 9:54:03 AM	9:54 AM	1399 S LAKE PARK BLVD	444	Power line down	0000501
2409140003	9/14/2024 7:40:46 PM	7:40 PM	1403 S LAKE PARK BLVD	444	Power line down	0000500
240914-162239-CBFIRE	9/14/2024 10:07:28 PM	10:07 PM	1901 SAND DOLLAR CT	111	Building fire	0000502
2409150001	9/15/2024 12:49:28 AM	12:49 AM	1112 N CAROLINA BEACH AVE	444	Power line down	0000503
2409150002	9/15/2024 2:00:03 AM	2:00 AM	99 OCEAN BLVD	444	Power line down	0000504
240915-023907-CBFIRE	9/15/2024 6:47:25 AM	6:47 AM	100 Charlotte AVE	736	CO detector activation due to malfunction	0000505
240915-025544-CBFIRE	9/15/2024 8:24:10 AM	8:24 AM	100 Charlotte AVE	745	Alarm system activation, no fire - unintentional	0000506
240915-114636-CBFIRE	9/15/2024 5:23:37 PM	5:23 PM	613 Clarendon AVE	412	Gas leak (natural gas or LPG)	0000507
240915-152941-CBFIRE	9/15/2024 8:55:26 PM	8:55 PM	7201 Myrtle Grove RD	111	Building fire	0000508
240916-011814-CBFIRE	9/15/2024 11:49:03 PM	11:49 PM	710 Columbia AVE	311	Medical assist, assist EMS crew	0000509
240916-012831-CBFIRE	9/16/2024 6:41:25 AM	6:41 AM	102 Cape Fear BLVD	745	Alarm system activation, no fire - unintentional	0000510
240916-345975-CBFIRE	9/16/2024 7:51:38 AM	7:51 AM	354 Canal DR	554	Assist invalid	0000511
2409160003	9/16/2024 8:57:42 AM	8:57 AM	210 WATER OAK CIR	353	Removal of victim(s) from stalled elevator	0000512
2409160008	9/16/2024 9:15:03 AM	9:15 AM	601 S CAROLINA BEACH AVE	461	Building or structure weakened or collapsed	0000513
2409160014	9/16/2024 9:33:43 AM	9:33 AM	600 S LAKE PARK BLVD	350	Extrication, rescue, other	0000514
240916-120111-CBFIRE	9/16/2024 10:23:00 AM	10:23 AM	1007 S Carolina Beach AVE	651	Smoke scare, odor of smoke	0000515
240916-121454-CBFIRE	9/16/2024 11:26:06 AM	11:26 AM	481 McQuillan DR	411	Gasoline or other flammable liquid spill	0000516
240916-122847-CBFIRE	9/16/2024 1:34:41 PM	1:34 PM	1121 N Lake Park BLVD	321	EMS call, excluding vehicle accident with injury	0000517
240916-125730-CBFIRE	9/16/2024 3:41:26 PM	3:41 PM	312 Sumter AVE	410	Combustible/flammable gas/liquid condition, other	0000518
240916-130836-CBFIRE	9/16/2024 4:51:49 PM	4:51 PM	302 Canal DR	735	Alarm system sounded due to malfunction	0000519
2409170001	9/17/2024 8:30:26 AM	8:30 AM	211 ATLANTA AVE	360	Water & ice-related rescue, other	0000536
2409170003	9/17/2024 9:31:44 AM	9:31 AM	300 S LAKE PARK BLVD	360	Water & ice-related rescue, other	0000535
2409170004	9/17/2024 9:38:39 AM	9:38 AM	205 FAYETTEVILLE AVE	360	Water & ice-related rescue, other	0000537
2409170005	9/17/2024 10:27:02 AM	10:27 AM	304 S THIRD ST	360	Water & ice-related rescue, other	0000538
2409170006	9/17/2024 10:48:16 AM	10:48 AM	201 ATLANTA AVE	360	Water & ice-related rescue, other	0000539
240917-084736-CBFIRE	9/17/2024 12:47:38 PM	12:47 PM	106 Teak DR	733	Smoke detector activation due to malfunction	0000522
240917-348020-CBFIRE	9/17/2024 1:01:03 PM	1:01 PM	201 Atlanta AVE	521	Water evacuation	0000531
240917-083925-CBFIRE	9/17/2024 1:17:06 PM	1:17 PM	207 Oak Outlook WAY	311	Medical assist, assist EMS crew	0000521
240917-083221-CBFIRE	9/17/2024 1:54:19 PM	1:54 PM	102 Cape Fear BLVD	735	Alarm system sounded due to malfunction	0000520
240917-115801-CBFIRE	9/17/2024 4:43:11 PM	4:43 PM	1615 S Lake Park BLVD	735	Alarm system sounded due to malfunction	0000523
240917-348440-CBFIRE	9/17/2024 5:33:00 PM	5:33 PM	207 Atlanta AVE	521	Water evacuation	0000530
240917-160106-CBFIRE	9/17/2024 6:15:11 PM	6:15 PM	930 Saint Joseph ST	410	Combustible/flammable gas/liquid condition, other	0000527
2409170014-CBFIRE	9/17/2024 7:14:20 PM	7:14 PM	219 Atlanta AVE	500	Service Call, other	0000529

Incident Number	Alarm Date	Alarm Time	Location	Incident Type Code	Incident Type	NFIRS Number
240917-152428-CBFIRE	9/17/2024 8:03:33 PM	8:03 PM	102 Cape Fear BLVD	735	Alarm system sounded due to malfunction	0000525
240917-151809-CBFIRE	9/17/2024 8:54:55 PM	8:54 PM	S Lake Park BLVD & Alabama Ave	600	Good intent call, other	0000524
240917-155454-CBFIRE	9/17/2024 9:28:40 PM	9:28 PM	414 Greenville AVE	311	Medical assist, assist EMS crew	0000526
240917-173502-CBFIRE	9/17/2024 10:50:27 PM	10:50 PM	104 Moorefield DR	130	Mobile property (vehicle) fire, other	0000532
240917-181341-CBFIRE	9/17/2024 11:44:28 PM	11:44 PM	102 Cape Fear BLVD	735	Alarm system sounded due to malfunction	0000533
240917-184514-CBFIRE	9/18/2024 12:00:01 AM	12:00 AM	219 Spartanburg AVE	553	Public service	0000534
2409180001	9/18/2024 12:50:33 PM	12:50 PM	1501 WHELK LN	311	Medical assist, assist EMS crew	0000540
2409180002	9/18/2024 3:05:05 PM	3:05 PM	422 N FORT FISHER BLVD	111	Building fire	0000541
2409180003	9/18/2024 3:15:02 PM	3:15 PM	222 N CAROLINA BEACH AVE	743	Smoke detector activation, no fire - unintentional	0000542
2409180004 9	/18/2024 4:03:38 PM	4:03 PM	422 N FORT FISHER BLVD	111	Building fire	0000543
2409180005 9	/18/2024 11:58:21 PM	11:58 PM	1403 S LAKE PARK BLVD	740	Unintentional transmission of alarm, other	0000544

PARKS AND RECREATION

- Check out the Athletic Programs being offered!

 Online registration:
 - o https://www.carolinabeach.org/government/departments/parks-recreation/athletics
 - For more information visit https://www.carolinabeach.org/.../parks-recreation/athletics





- A replacement see saw has been ordered for the playground at Mike Chappell Park. We plan to have it delivered and installed by mid-October. A shade structure will also be installed over the stage area of the skatepark.
- Registration for the annual Town of Carolina Beach Christmas Parade will be open on Monday, September 16th at 10:00 AM!
 - Registration will be available using this link: https://carolinabeach.recdesk.com/Community/Program



- Thank you to everyone that attended the annual Back to School Youth Dance on Friday, PM at the Carolina Beach Recreation Center. The canned food donations will be delivered to the Help Center this week.
- Staff have been working hard to clean up and repair the parks after the storm. The Brandy Myers Memorial Playground was pressure washed, along with most of the sidewalks. Additional pressure washing will take place this week. We are also working on putting the split rail fence back together and repairing the electrical at Lake Park.
- Registration is open for our Blood Drive scheduled for Tuesday, September 24th. Scan the QR Code or visit redcrossblood.org to schedule your donor appointment.



Pleasure Island **Community Blood Drive**

at the Carolina Beach Recreation Center Gymnasium

Tuesday, September 24th 12:00 pm - 5:00 pm

For an appointment, please visit redcrossblood.org & use sponsor code: PLEASURE ISLAND or scan the OR code below. All donors welcome. Please bring photo ID & be well hydrated.





RedCrossBlood.org | 1-800-RED CROSS | 1-800-733-2767 | Download the Blood Donor App

Events:

Please visit the link for the updated event calendar: https://www.carolinabeach.org/visitors/events-calendar

If you have questions regarding events, please reach out to Tim Murphy at tim.murphy@carolinabeach.org

COMMUNITY DEVELOPMENT

Development Review	
All Permits Received	<u>11</u>
Additions (paid)	1
Alter/Up Fit/Add Commercial (paid)	1
Driveway/Impervious/Hardscape (paid)	1
Fence (paid)	4
Reno/Repair Residential (paid)	1
Townhouse/Condos New Construction (paid)	2
Zoning Accessory Structure Shed (paid)	1
Planning and Zoning	
Foundation/Piling Survey	1
Zoning Inspection	1
Zoning Plan Review	5
Code Enforcement	
Investigations Researched	1
Received/Reported Complaints	1
Received/Reported Non-Code Enforcement Complaints	1
Resolved Complaints	1


Zoning:

Agenda Items/Meeting Dates	Status
Appeal: Sidewalk café	BOA – September 18 th – Continued/TBD
Variance: Dry Dock Inn-fence	BOA – September 18 th – Continued/TBD
Subdivision: 1231 Saint Joseph St.	Town Council – October 8 th
Conditional Zoning: Seaside Chapel School 105 Dow Rd.	TBD

HARBOR/MARINA

Harbor Master Report					
Туре	# slips/moorings	# of boats	Dates Dates		
Marina Licensee Slips	Marina- 24	24	7/1/2023	6/30/2024	
Marina Transient Slips	Transient Slips- 4				
CB Harbor	Anchorage		Current Week		
Mooring/Transient	Declined Boats	0	Guileni Week		
Mooring/Transient	Mooring Pendents-10				
	Myrtle Grove Sound Activity				
Type of Activity	Location		Actions	Date	
Data Collection	Inside and outside CB Harbor		Continued work on data base of all abandoned, derelict, sunk and live aboard boats in in the CB Harbor and those to the north in the area of marker 159.	Ongoing	
Marina Construction	Municipal Marina		Work on hold for the electrical platform for the West side. Waiting on backordered parts.	9/23/2024	
Patrol	Harbor		After storm damage assessment of public and private facilities along the waterway. Removal of large debris from the channel.		
Patrol	Harbor		Assisted with the removal of sinking vessel at Mona Black Marina. Coordinated with CBFD, USCG Pollution, CB Boat Yard, and Sea Tow.	9/17/2024	
Patrol	Harbor		Documentation of damage to docks and town facilities on county portal.		
Administrative	Town Code		Modifications to Town Code chapter 10 adopted by Town Council, limit on vessels anchored, streamline administration, added transient slip to mooring section. Link to update 24-1231: https://library.municode.com/nc/carolina_beach/codes/code_of_ordinances	8/13/2024	
Violations					
Vessel	Location	•	Warning/Citation	Date	
Interim CB Harbor			Vessel abandoned in private marina. Vessel tagged with warning July 18, 2024, work continues. NC Coastal Federation has agreed to remove the vessel once it has been declared Abandoned by NC Wildlife. Vessel Removed	9/17/2024	

Water flowing into Municipal Marina six hours after rain ceased.



Reviews:

Tomas M. 9/17/2024

We arrived a day before the storm and got a mooring ball. We dinghied to town and got lunch and some groceries. The people there are great. The Harbor Master for Carolina Beach Marina is great.

PUBLIC UTILITIES/PUBLIC WORKS

WWTP:

• Staff performed all operational/maintenance tasks and laboratory analyses as necessary to maintain compliance with all applicable permits.

Utility Staff:

- Locates, work orders and tap verifications, clearing and demo permits.
- Continuous maintenance of existing road cuts.
- Service all existing Porta Johns.
- Repair broken water service.
- Replaced broken water shut off valve.
- Fill in washed out area on the side of South Lake Park Blvd.
- Responding to sewer backups.
- Turn off and secure area around damaged fire hydrant.

W/S Administration/Billing/Customer Service:

- Applied mail and lockbox payments to account (daily)
- Processed AR box and Online payments (daily)
- Processed Invoice Cloud payments (daily)
- Checking Voicemails (daily)
- 15 Permit payments processed
- Accounts setup for Planning
- FMS accounts setup/closed
- 7 Leak/Read Adjustments
- Process payments for parking, re-entry, and golf cart permits
- Called high usage customers and pre-cutoff customers

Environmental:

Beach Front

• Storm clean up

Boardwalk

• Storm clean up

Freeman

• Storm clean up

Facilities

• Storm clean up

Streets

Storm clean up

Special Events

• Set up dragon boat race.

Storm water:

• 811 Locates: 7

Site visit with resident: 2 • Site visit with contractor: 1 Stormwater Violation: 1

- CB Trash Walkers Litter Patrol: 601 pounds of litter picked up after tropical cyclone.
- Stormwater crews pre-pumped the lake down for the rain event.
- Stormwater crews set up emergency pumps at Driftwood Court to aid in lowering the lake.
- Stormwater crews continue monitoring pumping operations and storm recovery.

Work Orders:

Work Orders.	# of Work Orders
Sewer	
Port-A-Potty Cleaning/Maintenance	1
SSCLEANOUT - Inspect	2
SSMANHOLE - Inspect	1
Stormwater	
BMP - Install	1
BMP - Street Sweeper	21 miles swept
811 - Locate	4
Litter Pick-Up	601 lbs.
Operate Fixed Pumps	4
Water	
811 - Locate	26
Lead/Copper Inspection	20
WMETER - Disconnect	1
WMETER - Inspect	2
WSERVICE - Inspect	1
Facilities	

FREEMAN PARK - Trash Removal	1 dumpster
MUNICIPAL BEACH STRAND - Trash Removal	6 dumpsters

Sanitation

SANITATION - Bulk Waste Collection

13

Streets

Other Streets - Investigate

1