U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION						FOR INSUR	RANCE COMPANY USE
•	A1. Building Owner's Name William & Linsey Brink Policy Number:						ber:
Box No.	A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Company NAIC Number: 1120 Carolina Beach Avenue N.						
City Carolina Beach							
		nd Block Numbers, Ta n of Carolina Beach a			•	,	08811-011-001-000
A4. Building Use (e.g., Residen	tial, Non-Residential,	Addition	Accessory, e	etc.) Residentia	ıl	
A5. Latitude/Longit	ude: Lat. <u>3</u> 4	1° 02' 55"	Long7	7° 53' 08"	Horizontal	Datum: NAD 1	927 🗙 NAD 1983
A6. Attach at least	2 photograp	hs of the building if the	e Certific	ate is being u	sed to obtain flood	d insurance.	
A7. Building Diagra	ım Number	6					
A8. For a building v	with a crawls	pace or enclosure(s):					
a) Square foot	age of crawl	space or enclosure(s)		1	260.00 sq ft		
b) Number of p	ermanent flo	ood openings in the cr	awlspace	e or enclosure	(s) within 1.0 foot	above adjacent gra	ade 5
c) Total net are	ea of flood op	penings in A8.b	1	000.00 sq in			
d) Engineered	flood openin	gs? 🗶 Yes 🗌 N	10				
A9. For a building w	vith an attach	ed garage:					
a) Square foota	age of attach	ed garage		N/A sq ft			
b) Number of p	ermanent flo	ood openings in the at	tached g	arage within ′	.0 foot above adja	acent grade	
c) Total net are	ea of flood op	penings in A9.b		sq	in		
d) Engineered	flood openin	gs?	lo				
	SE.	CTION B – FLOOD	NSIIRA	NCE RATE	MΔP (FIRM) INF	ORMATION	
B1 NFIP Communi			110017	B2. County	, ,	ORMATION	B3. State
	B1. NFIP Community Name & Community Number 375347 Town of Carolina Beach B2. County Name New Hanover North Carolina						
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Sone(s) B9. Base Flood Elevation(s) (Zone AO, use Base Flood D			levation(s) e Base Flood Depth)				
Revised Date 08-28-2018							
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: ☐ FIS Profile 🗵 FIRM ☐ Community Determined ☐ Other/Source:							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:							
B12. Is the building	B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No						
Designation [Date:		CBRS	☐ OPA			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

			Expiration Bato. November 66, 2022		
IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/o 1120 Carolina Beach Avenue N.	r Bldg. No.) or P.O	. Route and Box No.	Policy Number:		
City		ZIP Code	Company NAIC Number		
Carolina Beach No	rth Carolina	28428			
SECTION C – BUILDING EL	EVATION INFOR	RMATION (SURVEY RI	EQUIRED)		
C1. Building elevations are based on: Constructi *A new Elevation Certificate will be required when or	_]	uction* X Finished Construction		
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: NCGS VRS Vertical Datum: NAVD-88					
Indicate elevation datum used for the elevations in	items a) through h)	below.			
☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/ Datum used for building elevations must be the san		the BFE.			
-			Check the measurement used.		
a) Top of bottom floor (including basement, crawls	pace, or enclosure	floor)	10.1 × feet meters		
b) Top of the next higher floor			23.2 X feet meters		
c) Bottom of the lowest horizontal structural memb	er (V Zones only)		20.9 X feet meters		
d) Attached garage (top of slab)			N/A feet meters		
e) Lowest elevation of machinery or equipment set (Describe type of equipment and location in Cor	rvicing the building nments)		22.4 🗷 feet 🗌 meters		
f) Lowest adjacent (finished) grade next to building	g (LAG)		9.6 × feet meters		
g) Highest adjacent (finished) grade next to buildin	g (HAG)		10.1 X feet meters		
b) Lowest adjacent grade at lowest elevation of de structural support	,	ng	10.1 × feet meters		
SECTION D – SURVEYOR	, ENGINEER, OR	ARCHITECT CERTIF	ICATION		
This certification is to be signed and sealed by a land su I certify that the information on this Certificate represent statement may be punishable by fine or imprisonment u	s mv best efforts to	interpret the data availa	y law to certify elevation information. able. I understand that any false		
Were latitude and longitude in Section A provided by a I			Check here if attachments.		
Certifier's Name Joshua M. McKittrick	License Numbe L-5108 Firm#l	r P-1608	WHITH CAROLINIA		
Title owner			SEAL SEAL		
Company Name Joshua M. McKittrick Land Surveying, PLLC			SEAL L-5108 & SURVEY		
Address 809 Windgate Drive			M. McKIT		
City Wilmington	State North Carolina	ZIP Code 28412			
Signature Josh McKittrick Deptally signed by Josh McKittrick, a. or, emmale-joshmekitrick@gmall.com, c=US Dece: 2011-179 All of McKittrick	Date 01-14-2022	Telephone (910) 231-5339	Ext.		
Copy all pages of this Elevation Certificate and all attachm	ents for (1) commur	nity official, (2) insurance	agent/company, and (3) building owner.		
Comments (including type of equipment and location, per C2.e) Lowest machinery servicing the building is the HV	, ,	ole)			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE			
•	treet Address (including Apt., Unit, Sulina Beach Avenue N.	Policy Number:				
City Carolina B	seach	State North Carolina	ZIP Code 28428	Company NAIC Number		
	SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)					
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B,and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.						
the hi	de elevation information for the following ghest adjacent grade (HAG) and the loop of bottom floor (including basement)	owest adjacent grade (LA		er the elevation is above or below		
cr	awlspace, or enclosure) is op of bottom floor (including basement	·	feet mete	ers above or below the HAG.		
cr	awlspace, or enclosure) is	·	feet mete			
the ne	uilding Diagrams 6–9 with permanent ext higher floor (elevation C2.b in agrams) of the building is	flood openings provided	in Section A Items 8 and/o			
E3. Attach	ned garage (top of slab) is		feet mete	ers above or below the HAG.		
E4. Top o service	f platform of machinery and/or equipr cing the building is	nent	feet mete	ers above or below the HAG.		
	AO only: If no flood depth number is a plain management ordinance?			ccordance with the community's certify this information in Section G.		
	SECTION F - PROPERT	TY OWNER (OR OWNER	'S REPRESENTATIVE) C	ERTIFICATION		
The prope community	rty owner or owner's authorized repre y-issued BFE) or Zone AO must sign l	sentative who completes here. The statements in S	Sections A, B, and E for Z sections A, B, and E are co	one A (without a FEMA-issued or rect to the best of my knowledge.		
Property C	Owner or Owner's Authorized Represe	entative's Name				
Address		C	ity S	tate ZIP Code		
Signature		D	ate T	elephone		
Comments	3					
				Check here if attachments.		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corre	FOR INSURANCE COMPANY USE					
Building Street Address (including Apt., Unit, State 1120 Carolina Beach Avenue N.	Policy Number:					
City Carolina Beach	State North Carolin	ZIP Code a 28428		Company NAIC Number		
SECTION G - COMMUNITY INFORMATION (OPTIONAL)						
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.						
G1. The information in Section C was tak engineer, or architect who is authoriz data in the Comments area below.)						
G2. A community official completed Section or Zone AO.	on E for a building lo	cated in Zone A (withou	ut a FEM <i>A</i>	a-issued or community-issued BFE)		
G3. The following information (Items G4-	-G10) is provided for	community floodplain n	nanageme	ent purposes.		
G4. Permit Number	G5. Date Permit Is	sued		ate Certificate of ompliance/Occupancy Issued		
G7. This permit has been issued for:	New Construction	☐ Substantial Improve	ment			
G8. Elevation of as-built lowest floor (including of the building:	g basement) —		feet	meters Datum		
G9. BFE or (in Zone AO) depth of flooding at	the building site:		feet	meters Datum		
G10. Community's design flood elevation:	_		feet	meters Datum		
Local Official's Name		Title				
Community Name		Telephone				
Signature		Date				
Comments (including type of equipment and loc	Comments (including type of equipment and location, per C2(e), if applicable)					
(371 11 ", F-: (-), " F "/						
				Check here if attachments.		

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, cop	FOR INCURANCE COMPANY USE		
INITOKTANT. III tilese spaces, cop	FOR INSURANCE COMPANY USE		
Building Street Address (including A	Policy Number:		
1120 Carolina Beach Avenue N.			
City	State	ZIP Code	Company NAIC Number
Carolina Beach	North Carolina	28428	. ,

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption Front View





Photo Two

Photo Two Caption Rear View

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the co	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, 1120 Carolina Beach Avenue N.	Policy Number:		
City	State	ZIP Code	Company NAIC Number
Carolina Beach	North Carolina	28428	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption Right View

Clear Photo Three



Photo Four

Photo Four Caption Left View

Clear Photo Four
Form Page 6 of 6



ICC-ES Evaluation Report

ESR-4332

Reissued March 2020

This report is subject to renewal March 2022.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents / Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

EVALUATION SUBJECT:

FREEDOM FLOOD VENT™ AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2018, 2015, 2012, 2009 and 2006 International Building Code[®] (IBC)
- 2018, 2015, 2012, 2009 and 2006 International Residential Code® (IRC)

Properties evaluated:

- Physical operation
- Water flow
- Weathering

2.0 USES

The model FFV–1608 Freedom Flood Vent™ is used to equalize hydrostatic pressure on walls of enclosures subject to rising or falling floodwaters. With the cover removed, the model FFV-1608 also provides natural air ventilation.

3.0 DESCRIPTION

3.1 General:

The model FFV-1608 Freedom Flood Vent[™] is an engineered mechanically operated in-wall flood vent (FV) that automatically allows floodwater to enter an enclosed area and exit. The FV is comprised of a polycarbonate frame with mounting flange and a polycarbonate horizontally pivoting door. When subjected to rising water, the model FFV-1608 Freedom Flood Vent[™] door is activated and pivots to allow water and debris to flow in either direction to equalize hydrostatic pressure from one side of the enclosure to the other. The FV features a removable polycarbonate cover. The FV door will activate and pivot when subjected to rising water with or without the polycarbonate cover installed.

3.2 Engineered Opening:

The FV complies with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/ SEI 24-14 (2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/ SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/ SEI 24, Freedom Flood Vent™ FVs must be installed in accordance with Section 4.0 below. See Table 1 for vent size and maximum allowable area coverage for a single vent.

4.0 DESIGN AND INSTALLATION

The model FFV-1608 Freedom Flood Vent™ is designed to be installed into walls or overhead doors of existing or new construction. Installation of the vent must be in accordance with the manufacturer's instructions, the applicable code, and this report. In order to comply with the engineered opening design principle noted in Sections 2.7.2.2 and 2.7.3 of ASCE/ SEI 24-14 (2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/ SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Freedom Flood Vent™ must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 250 square feet (23.2 m²) of enclosed area.
- Below the base flood elevation.
- With the bottom of the vent located a maximum of 12 inches (305.4 mm) above the higher of the final interior grade or floor and the finished exterior grade immediately under each opening.

5.0 CONDITIONS OF USE

The Freedom Flood Vent[™] described in this report complies with, or is a suitable alternative to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 The model FFV-1608 Freedom Flood Vent™ unit must be installed in accordance with this report, the applicable code and the manufacturer's published installation instructions. In the event of a conflict, the instructions in this report shall govern.
- 5.2 The model FFV-1608 Freedom Flood Vent™ unit must not be used in place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.



5.3 Use of the Freedom Flood Vent as under-floor space ventilation is outside the scope of this report.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised October 2017).

7.0 IDENTIFICATION

7.1 The Freedom Flood Vent[™] model recognized in this report must be identified by a label bearing the manufacturer's name (Smart Product Innovations, Inc.) and the evaluation report number (ESR-4332.).

7.2 The report holder's contact information is the following:

SMART PRODUCT INNOVATIONS, INC. 430 ANDBRO DRIVE, UNIT 1
PITMAN, NEW JERSEY 08071
(800) 507-1527
www.freedomfloodvent.com
info@freedomfloodvent.com

TABLE 1—FREEDOM FLOOD VENT™

MODEL NAME	MODEL NUMBER	MODEL SIZE	COVERAGE (sq. ft.)
Freedom Flood Vent™	FFV-1608	15 ³ / ₄ " X 8 ¹ / ₁₆ "	250

For **SI**: 1 inch = 25.4 mm




FIGURE 1—MODEL FFV-1608 FREEDOM FLOOD VENT™: SHOWN WITH COVER REMOVED



FIGURE 2—MODEL FFV-1608 FREEDOM FLOOD VENT™: SHOWN WITH FLOOD DOOR PIVOTED OPEN



ICC-ES Evaluation Report

ESR-4332 CBC and CRC Supplement

Reissued March 2020

This report is subject to renewal March 2022.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents / Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

EVALUATION SUBJECT:

FREEDOM FLOOD VENT™ AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that the Freedom Flood Vent™ Automatic Foundation Flood Vent: Model FFV-1608, recognized in ICC-ES master evaluation report ESR-4332, has also been evaluated for compliance with codes noted below.

Applicable code edition(s):

- 2016 California Building Code (CBC)
- 2016 California Residential Code (CRC)

2.0 CONCLUSIONS

2.1 CBC:

The Freedom Flood Vent™ Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the master evaluation report ESR-4332, complies with CBC Chapters 12, 16 and 16A, provided the design and installation are in accordance with the 2015 International Building Code® (2015 IBC) provisions noted in the master report and the additional requirements of 12, 16, and 16A, as applicable.

The product recognized in this supplement has not been evaluated under CBC Chapter 7A for use in the exterior design and construction of new buildings located in any Fire Hazard Severity Zone within State Responsibility Areas or any Wildland-Urban Interface Fire Area.

2.2 CRC:

The Freedom Flood Vent™ Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the master evaluation report ESR-4332, complies with the 2016 CRC, provided the design and installation are in accordance with the 2015 International Residential Code® (2015 IRC) provisions noted in the master report.

The product recognized in this supplement has not been evaluated under 2016 CRC Chapter R337, for use in the exterior design and construction of new buildings located in any Fire Hazard Severity Zone within State Responsibility Areas or any Wildland-Urban Interface Fire Area.

The product recognized in this supplement has not been evaluated for compliance with the International Wildland-Urban Interface Code®.

This supplement expires concurrently with the evaluation report, reissued March 2020.





ICC-ES Evaluation Report

ESR-4332 FBC Supplement

Reissued March 2020

This report is subject to renewal March 2022.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents / Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

EVALUATION SUBJECT:

FREEDOM FLOOD VENT™ AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Freedom Flood Vent™ Automatic Foundation Flood Vent: Model FFV-1608, recognized in ICC-ES master evaluation report ESR-4332, has also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2017 Florida Building Code—Building
- 2017 Florida Building Code—Residential

2.0 CONCLUSIONS

The Freedom Flood Vent™ Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the master evaluation report ESR-4332, complies with the *Florida Building Code—Building* and the *Florida Building Code—Residential*, provided the design and installation are in accordance with the *International Building Code*® (IBC) provisions noted in the master report.

Use of the Freedom Flood Vent™ Automatic Foundation Flood Vent: Model FFV-1608 has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the *Florida Building Code—Building* and the *Florida Building Code—Residential*.

For products falling under Florida Rule 9N-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official, when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued March 2020.

