## ELEVATION VERTHINALE

FEDERAL EMERGENCY MANAGEMENT AGENCY

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to vide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are no required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

Sowings volder of the	SECTION A PR	OPERTY INFO	ORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME ERA L. LEWIS AN			IV. Total Lave Co.		POLICY NUMBER
STREET ADDRESS (Including Apt 409 CLARENDON A	, Unit, Suite and/or Bldg.		ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and B LOT 8 & 9 BLOC		LINA BEA	СН		
CAROLINA BEACH	(m) (140)			STATE N. (	ZIP CODE 28428
	SECTION B FI	OOD INSUR	ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	e proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER 0001	3. SUFFIX	4. DATE OF FIRM INDEX Sept. 4,1986	5. FIRM ZONE A 9	6. BASE FLOOD ELEVATION (In AO Zones, use depth)
<ol><li>For Zones A or V, where r</li></ol>	o BFE is provided o	n the FIRM, a	ase Flood Elevations (BFE nd the community has esta r FIRM datum-see Section	blished a BFE f	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILD	ING ELEVATION INFORM	ATION	er mangarnig isa
(c). FIRM Zone A (without to below (check one)  (d). FIRM Zone AO. The fit one) the highest grade level) elevated in accordance to the developments on Page Comments on Page (comments on Page).	E, and V (with BFE) at an elevation of L BFE). The floor used the highest grade according to the build dance with the common system used in decrease of the content of the	The bottom  The bo	of the lowest horizontal str. I feet NGVD (or other FIRITION for other FIRITION for other FIRITION for other FIRITION for other first had been selected diagram is a depth number is available and above reference level elem used in measuring the elems to the datum system us	M datum-see S I diagram is	ection B, Item 7).  I leet above or  bove or below (check is lowest floor (reference)  No Unknown  VD '29 Other (describe trent than that used on)
5. The reference level elevat (NOTE: Use of constructic case this certificate will on will be required once cons	ion is based on: X on drawings is only by be valid for the bur	actual constr valid if the buil ilding during th	uction Construction dr Iding does not yet have the ne course of construction.	awings reference level A post-construc	tion Elevation Certificate
6. The elevation of the lowes Section B, Item 7).	t grade immediately	adjacent to th	e building is:	ME feet NGVD	(or other FIRM datum-see
I. Samuel	SI	CTION D. C	OMMUNITY INFORMATIC	N	
is not the "lowest floor" as	defined in the comm	nunity's floodp	lain management ordinand NGVD (or other FIRM datu	e, the elevation	ndicated in Section C, Item 1 of the building's "lowest B, Item 7).

FEMA Form 81-31, MAR 97 REPLACES ALL PREVIOUS EDITIONS


SEE REVERSE SIDE FOR CONTINUATION

indication is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation mation when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Amountly officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME L-1368 LIGNELL W. HOOD III COMPANY NAME LIGNELL W. HOOD III: REGISTERED LAND SURVEYOR ZIP STATE CITY ADDRESS 28409 N.C WILMINGTON 118 FRIENDLY LANE PHONE SIGNATURE (910)799-7104 8/11/98 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. COMMENTS: ONE STORY BRICK & FRAME DWELLING WITH A CRAWL SPACE BELOW REFERENCE LEVEL HAVING ADEQUATE OPENINGS. FINISHED FLOOR ELEVATION 10.8 LOW GRADE AT DWELLING 7.0



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.